
## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





E. C. ROBBINS, Nurseryman ASHFORD, McDOWELL COUNTY, NORTH CAROLINA

### **Note To Customers**

#### PACKING AND GRADING

Will be done in the most careful way. Orders will be packed to insure arrival in good condition. Packing will be charged at cost on charge orders. Certificate of inspection attached to all shipments.

#### SHIPPING INSTRUCTIONS

Should always be given fully, unless you prefer to leave to our best judgment.

#### CLAIMS

All claims for errors must be reported upon receipt of goods and will be rectified promptly. Unless this is done we cannot accept responsibility of any kind.

No GUARANTEE is made that stock will grow, whether planted by us or not. As we have no control over after-treatment or weather conditions.

In no case shall we be held for damage exceeding original purchase price and only to this extent when proper proof is furnished that stock has been wrongly labeled.

All orders are accepted and filled on these terms, unless otherwise agreed.

FALL PLANTING SEASON begins in August and extends usually till about December 1, according to weather conditions.

SPRING SHIPMENTS are forwarded according to customers' wishes and subject to conditions beyond our control, March 1 to May 30. PLEASE ORDER EARLY.

Send Us Your Want List For Quotations

This List Not To Be Used After September 1, 1948

Gardens of Ridge
The Blue Ridge

E. C. ROBBINS, Nurseryman ASHFORD, McDOWELL COUNTY, NORTH CAROLINA

## SPECIAL OFFER

## FOR ORDERS PLACED IN JULY AND AUGUST, 1948

FREE DELIVERY without discount will be made on Cash Orders in before September 1, 1948

#### Hardy Native Herbaceous Perennials

This list contains a variety of Herbaceous plants furnishing a succession of bloom from early spring to late autumn, all having been tried out with success in cultivation. The height indicates the approximate height of each plant as found in wild state. The time of blooming naturally depends on locality.

	1-9	Price 1 10-24	Each 25-250	Over 250
ACONITUM reclinatum. Trailing Monkshood. Stem 2-4 ft. Flowers greenish yellow. Hood-shaped.	\$ .35	\$ .26	\$ .22	\$
ACONITUM uncinatum. Clambering Monkshood. 3-5 ft. Smooth, vine like stem. Blue hood-shaped showy flowers. Strong	.26	.22	.20	.18
ACTAEA alba. White Baneberry, 2-3 ft. Racemes white flowers. Strong	.25	.22	.20	
ACTAEA rubra. Red Baneberry, 2-3 ft. White Flowers, followed with showy redfruit	.36	.30	.27	
ALLIUM tricocum. Wood Leek. 6-12 in. Flowers greenish white in early spring. Strong	.26	.22	.20	
ARUNCUS sylvester. Goat's Beard 4-6 ft. Stately herbaceous plant with large compound leaves. Stems bearing clusters of slender racemes of small white flowers in plume-like panicles  ASARUM canadense. Canada Wild Ginger. 9-18 ins.	.28	.24	.22	.20
Kidney-shaped leaves 3-5 in, wide, with single purplish flowers close to the ground. Plant in shady corner with ferns, Strong	.25	.22	.20	.18
ASARUM shuttleworthi. Mottled Wild Ginger. 4-6 in. Thick fragrant evergreen leaves. X strong	.30	.26	.22	.20
ASTILBE biternata. False Goatsbeard 3-5 ft. Yellowish white flowers. X strong	.26	.22	.20	.18
BAPTISIA tinctoria. Yellow Wild Indigo. 2-3 ft. Flowers showy bright yellow June to August. Sunny location or partial shade. X strong	.26	.22	.20	.18
CAREX fraseri. Fraser Sedge. Everreen, 10-18 in. Flowers whitish spikes March or April. Leaves large. Prefers shade in rich soil. Strong plants	.26	.24	.22	
CAULOPHYLLUM thalictroides. Blue Cohosh, 2-3 ft. Several flowers in loose terminal panicle, greenish purple with yellow centers April and May. Dark shady places for best results. X strong	.25	.22	.20	.18
CIMICIFUGA americana. American Bugbane. 2-4 ft. White showy fragrant flowers. August to September. Showy divided leaves. Rich shady location. X strong	.24	.20	.18	.16
CIMICIFUGA racemosa. Cohosh Bugbane. 4-8 ft. Leaves divided. Flowers white in elongated wand-like racemes. June and July. Moist shad- ed areas. X strong.	.23	.20	.17	.14

HARDY NATIVE HERBACEOUS PERENN	NIALS,	continu	ed	
	1-9	Price 1 10-24	Each 25-250	Over 250
COLLINSONIA canadensis. Citronella. 1-3 ft. Flowers yellowish, lemon scented. Damp rich woods. X strong	\$ .26	\$ .21	\$ .20	\$ .18
DISPORUM lanuginosum. Fairybells. 1-3 ft. Flowers solitary at ends of branches, greenish. Shade. Strong	.24	.20	.16	.15
EPILOBIUM angustifolium. Blooming Sally. 1-3 ft. Leaves scattered, lance shaped. Flowers pur- plish-pink. July and August. Moist sunny lo- cation. X strong.	.26	,23	.21	.20
EUPATORIUM urticaefolium. American Ageratum. 2-3 ft. Stem smooth, branching leaves opposite, broadly sharp toothed. Flower heads white, clustered Late summer. Woodlands and semi-	4	1 7		
shaded places. Strong	.27	.24	.22	.20
GERANIUM maculatum. Wild Geranium. Deciduous. 1-2 ft. Erect hairy. Leaves five-parted, lobed and cut. Flowers large pale, pink-purple, April to August. Shade loving. Strong	.24	.22	.20	.18
GILLENIA trifoliata. Bowmansroot. 2-4 ft. Handsome cut foliage. Flowers pure white or rosetinted in June. Shade or partial. X strong	.25	.23	.21	.19
HOUSTONIA purpurea. Mountain Houstonia, 6-18 ins. Flowers purple in July, Shade or sunny location, Strong	.22		.17	.15
LAITRIS pycnostachya. Cattail Gayfeather. 3-5 ft. Long spikes of rose-purple flower heads, Aug. and Sept. Sunny location. Strong	.28	.24	.22	
LIATRIS scariosa. Large Button Snakeroot. 3-5 ft. Leaves alternate, narrowly lance shaped, Flowers beautiful shade of rose-purple. Dry sunny	o.e	9.9	0.4	
location. Strong  LIATRIS spicata. Spike Gayfeather. 3-5 ft. Spike of	.26	.23	.21	
purple flowers in August, Sun. Strong	.24	.21	.20	.18
heart-shaped, lobed and toothed. Flowers small white. April and May. Shade. X strong	.25	.22	.20	.19
PANAX quinquefolium. American Ginseng. 9-18 ins. Flowers greenish white, fruit bright red berry. Prefers shady location. Strong 1st size	.26	.23 .10	.20	.18
PEDICULARIS canadensis. Wood Betony. Stems clustered 5-12 inches high. Leaves coarse fernlike. Flowers yellow and red, early spring.	24	99	90	
Shade or semi, X strong PHLOX divaricata. Blue Phlox. 9-18 ins. Flowers	.24	.22	.20	
pale lilac-purple, in May. Sun or partial shade. Strong	.26	.23	.21	.19
PODOPHYLLUM peltatum. Common May Apple. 12-18 ins. Flowers white, one or two inches broad. Shady location. Strong	.24	.21	.18	.16

#### ORDER NOW BEFORE PRICES ADVANCE

#### HARDY NATIVE HERBACEOUS PERENNIALS, continued

	1-9	Price I	Each 25-250	Over 250
POLYGONATUM biflorum, Small Solomon Seal. 1½-3 ft. Leaves alternate close to stems. Flowers yellowish, bell-shaped, June to July. Shade or open location. Strong	.23	.20	1.7	.15
SAPONARIA officinalis. Bouncing-Bet. 1-2 ft. Leaves oval opposite. Flowers pink or white in clusters. Mid-summer. Open location. X strong	.25	.22		.18
SMILACINA racemosa. False Solomon Seal. 1½-3 ft. Flowers greenish-white in June. Shade. Strong	.24	.21	.19	.17
SOLIDAGO canadensis. Canada Goldenrod. 5-7 ft. Flowers small, very numerous, in yellow flat heads. Sunny location. X strong	.27	,23	.20	.18
SOLIDAGO odora. Fragrant Goldenrod. 2-3 ft. Yellow flowers Aug. and Sept. Dry, sandy location	.27	.25	.22	.20
STENANTHIUM robustum. Featherfleece. 2-5 ft. Flowers long delicate white. Late summer. One of our finest perennials. Thrives in open damp, or dry situation. X strong	.30	.26	.23	.21
Second size	.15	.13	.11	.10
STREPTPOUS roseus. Rosy Twistedstalk. 9-18 ins. Stems stout and zig-zag. Leaves pointed clasping. Flowers dull purplish-pink. May and June. Shade. Strong	.26	.23	.21	.20
THALICTRUM polygamum. Tall Meadowrue. 4-8 ft. Leaves divided into many rounded leaflets. Flowers white in large clusters. July to Sept. Sunny moist location. X strong	.28	.24	.21	.20
THERMOPSIS caroliniana. Carolina Thermopsis. 3-5 ft. Flowers large yellow in terminal racemes May and June. Rich garden soil, open locations	,20	.24	,41	.20
X heavy clumps	.35	.30		.24
Strong plantsLight plants	.25	.21	.18	.16
TIARELLA cordifolia. Alleghany. Foamflower. 6-12 ins. Flower white May and June. Shade. Strong SPECIAL OFFER: 100 Assorted Pereninals, furnis from early spring to fall, for only \$13.35. Selected for sdesired	hing s hady		on of fl y locati	owers on, as
TRADESCANTIA virginiana. (Montana) Virginia Spiderwort. 1-2 ft. Ribbon-like foliage and showy blue flowers. June and July. Shade-Semi, X strong	.25	.22	2.0	.18
VERONICA virginica. Culver's Physic. 2-4 ft. Leaves whorled, lance-shaped, finely toothed. Flowers small white in slender spikes. Mid-summer. Open location. Strong				
VIOLA blanda. Sweet White Violet. 2-4 ins. Flowers slightly fragrant. Early spring. Moist or dry open places, or shade. Strong	.23	.20	.18	.10

DESCRIPTIVE CATALOGUE WILL BE SENT ON REQUEST
AFTER SEPTEMBER 1, 1948

#### HARDY NATIVE HERBACEOUS PERENNIALS, continued

	1-9	Price 1 10-24	Each 25-250	Over 250
VIOLA cucullata. Blue Marsh Violet. 6-10 ins. Blue flowers all summer, Semi-shade. X strong	\$ .23	\$ .19	\$ .17	\$ .16
VIOLA hastata. Halberd-leaved. 4-6 ins. Flowers yellow, early spring. Strong	,22	.20	.18	.15
VIOLA rotundifolia. Yellow Roundleaf Violet. 2-4 ins. Flowers large yellow striped with purple, early spring. Leaves large prostrate, shining. Strong	.21	.18	.16	.14
VIOLA sagittata. Arrowleaf Violet. 4-8 ins. Deep blue flowers in May. Strong	.25	.21	.18	.16
YUCCA gloriosa. (Patens) Moundlily Yucca. 4-8 ft. Noble plant with long flower spike, rusty white or reddish. Sunny location, XX heavy clumps	1.50	1.30	1.20	
ZYGADENUS muscaetoxicum, Crow-Poison, 1-2 ft. Long grass-like leaves. Flowers showy white in June, Shade or semi. X strong	.26	.23	.21	.20
100 HARDY VIOLETS, Asorted blooming size. Shade or sunny location. Our selection			\$	310.85

## OUR STOCK IS GROWN HARDY IN THE CAROLINA HIGHLANDS OUTDOORS "NONE BETTER BY TEST"

High up in the Blue Ridge Mountains, where mercury often goes 10-20 below 0.

#### Hardy Native Plants for Rock-Gardens

	1-9	Price 1 10-24	Each 25-250	Over 250
AQUILEGIA canadensis. American Columbine. 1-2 ft. Showy, cut leaves. Reddish flowers with scarlet-yellow inside in May and June. Shade or partial shade. X strong plants	\$ .24	\$ .21	\$ .19	\$ .17
ARISAEMA triphyllum. Jack-in-the-Pulpit. 1-2 ft. Leaves generally two, each divided into three leaflets. Flowers conspicuous greenish white, early summer. Fruit bright scarlet berries. Shade loving. X first size	.23	.21	.19	.17
ASCLEPIAS tuberosa. Butterfly Weed. 1-2 ft, Remarkable showy deciduous plant. Flowers disposed in numerous umbel-like clusters, very showy orange or red, in summer. Sunny location. Strong first size  Second size	.35 .20	.30 .18	.26 ,16	.24 .15
CAMPANULA divaricata. North Carolina Harebell. 1-2 ft. Delicate pale blue bell-shaped flowers in July. Sun or shade. Strong	.24	.22	.20	.18
CHAMAELIRIUM luteum. Fairywand. 1-2 ft. A wand-like raceme of small white flowers in June. Sun or shade. Strong plants	.25	.22	.20	.18
CLINTONIA borealis. Bluebead, 9-18 ins. Flowers greenish yellow. Thin glossy green leaves. Fruit dark oval, blue shining berry. Cool moist woods for best results. Strong	.22	.20	.18	.16

#### HARDY NATIVE PLANTS FOR ROCK GARDENS, continued

Total House opinion of the Control o	1-9	Price I 10-24	Each 25-250	Over 250
CLINTONIA umbellulata. Speckled Clintonia. 8-15 ins. Flowers at top of stem, fragrant, spreading white, Fruit oval blac shining berry. Moist rich location shade. Strong	\$ .23	\$ .21	\$ ,19	\$ .17
CONVALLARIA majalis. Lily-of-the-Valley. 6-9 ins. Soft green leaves. Flowers fragrant white, Prefers partial shade. Strong plants	.20	.18	.16	.14
COREOPSIS lanceolata. Lance Coreopsis. 1½-3 ft. Free bloomer. Yellow flowers July and August. Sun or shady location, Strong	.21	.19	.17	.15
growing best in shade. Flowers white or faintly pink early spring. Strong	.22	.19	.17	.10
DICENTRA cucullaria, Dutchman's Breeches. 4-8 ins. Leaves thrice compound. Flowers white and yelow in raceme, early spring. Strong plants	.20	.18	.16	.14
DICENTRA eximia. Fringed Bleeding Heart. 9-18 ins. Foliage graceful, fern-like. Flowers deep rose nodding, heart-shaped, blossoming from spring until autumn. Sun or partial shade. Heavy	<b>V</b>			
Strong first size Second size	.50 .35 .25	.45 .32 .20	.40 .28 .18	.36 .25 .16
		ę.		
DODECATHEON meadiaCommonShooting Star. 9-18 ins. Flowers pink and showy, early sum- mer, succeeding in dry sunny places. Strong	.27	.24	.22	.21
ERYTHRONIUM americanum. Common Troutlily. 5-10 ins. Green mottled leaves. Flowers bright yellow, early spring. Shade or semi-shade.				- X80
Flowering size  EUPHORBIA corollata. Flowering Spurge. 1-3 ft.	.16	.14	.12	.10
Leaves ovate, lance-shaped. Flowers clustered white cup shaped, in summer, sunny location. Strong	.24	.21	.19	.19
GENTIANA andrewsi. Closed Gentian. 1-2 ft. Leaves opposite. Flowers blue to purple in Sept. Shade				
or sun. Strong Light plants	.24	.21	.18	.16
HEPATICA acutiloba. Sharp-lobed Hepatica. 6-8 ins. Leaves three lobed, motted. Flowers lilac- white, pale purple, early spring. Moist shaded places. X heavy clumps	.26	.24	.22	.20
HEPATICA triloba. Round-lobed Hepatica. 6-9 ins. Leaves rounded, three lobed. Flowers blue, white or pinkish early spring. Shady corner			-	
or open woods. Strong HEUCHERA americana. American Alumroot, 1-2 ft.	.27	.24	.22	.20
Leaves heart-shaped, large lobed, motted bronze in early winter. Flowers greenish or purplish, long narrow clusters in June. Shade or partial shade. X strong	.25	.22	.21	.19
HEUCHERA villosa. Hairy Alumroot. 9-18 ins. White flowers. Shade or partial sunny location. Strong or semi	.24	.21	.19	.17

#### HARDY NATIVE PLANTS FOR ROCK GARDENS, continued

HARDI NATIVE PLANTS FOR ROOK GA		s, contin	ucu	
	1-9	Price I 10-24		Over 250
NARCISSUS. Daffodil. Assorted Varieties. Flowers Yellow. Strong blooming size	\$ .18	\$ .16	\$ .14	\$ .12
PHLOX pilosa. Downy Phlox. 10-18 in. Flowers in flat clusters at top of stem, pinkish-purple. Dry locations.	.30	.24	.22	
POLYGONATUM commutatum. Great Solomon Seal.				
2-5 ft. Gigantic species. Flowers drooping greenish white. June and July. Fruit dark blue pulpy berry. Shade or semi-shade. X heavy	.27	.24	.21	.19
SANGUINARIA canadensis. Bloodroot. 6-12 ins. Lare pure white flowers, early spring. Leaves			•	
large leathery, appearing later. Rich soil, shade. X strong	.23	.20	.18	.16
SAXIFRAGA michauxi. Michaux Saxifrage, 6-18 ins. Flowers white to pink. June. Rare Semi- shade. Strong	.32	.28	.25	.22
SILENE virginica. Firepink. 1-2 ft. Flowers large crimson or scarlet. Strong plants, Shade or semi	.26	.23	.20	.18
SISYRINCHIUM angustifolium. Pointed Blue-eyed Grass. 4-12 in. Leaves narrow grass-like. Flowers blue or purple, with yellow center.				
Strong plants	.24	.22	.20	
blue and white, resembling China Astors. Strong plants	.25	.22	.20	.18
THALICTRUM dioicum. Early Meadowrue. 2-4 ft. Leaves divided into many smooth lobed pale				
drooping leaflets, Flowers purplish and green- ish, May and June. Shade or semi-shade. X strong	.23	.20	.18	.16
TRILLIUM cernuum. Nodding Trillium, 9-18 ins. Leaves large. Flowers white or pink in May.				
Semi-shade. First size	.20	.17	.16	.15
Second size XX large size	.15	.12	.11 .24	.10
TRILLIUM erectum. Purple Trillium. 9-18 ins. Leaves broadly ovate, three in whorls. Flowers single				
terminal, usually purplish-red. Early vigorous spring bloomer. Shade. XX largest size	.24	.21	.19	.18
Strong first size	.16	.13	.12	.11
Second size	.12	.10	.06	.05
TRILLIUM erectum album. Wax Trillium. 12-18 ins. Leaves large. Flowers white or pinkish. early			*	
spring. Shade loving. XX largest	.22	.18	.16	.15
Strong first size Second size	.16	.14	.12	.11
TRILLIUM grandiflorum. Snow Trillium. 9-20 ins. Finest and largest species. Flowers 2-3 inches across, white turning to rose color early spring.				
Shade or semi-shade. See picture on Back Cover. XX largest size	.24	.21	.17	.16
Strong first size	.16	.14	.12	.11
Second flowering size	.11	.07	.06	.05

HARDY NATIVE PLANTS FOR ROCK GAS	RDENS	s, contin	ued	
	1-9	Price 1 10-24	Each 25-250	Over <b>250</b>
TRILLIUM luteum. Yellow Trillium. 9-18 ins. This plant requires no care when given shade and fairly loose wood soil. The leaves are large and broadly ovate, being dark motted green, 2-6 inches long, and do not unfold as broadly as some of the other Trilliums. Flowers are lemon-yellow. April and May. First size	\$ .20 .12	\$ .17 .09	\$ .15 .08	\$ .14 .07
XX largest size	.32	.25	.23	••••
TRILLIUM stylosum. Rose Trillium. 10-18 ins. Flowers large, rose pink nodding, early spring. Semi-shade. XX largest size Strong first size Second flowering size	.24 .17 .11	.20 .14 .07	.18 .11 .06	.17 .10 .05
TRILLIUM undulotum. Painted. Trillium. 8-15 ins. Strong vigorous grower. Flowers large, with scarlet and white markings. Shade, border, woodland. Rock garden. XX largest				
Size Strong first size Second flowering size	\$ .24 .17	\$ .20 .14	\$ .18	\$ .17 .10
100 TRILLIUMS, Assorted, First size. Our selection of	.11	.07	.06	.05
UVULARIA grandiflora. Big Merrybells. 12-18 ins.	variet	105		\$9,19
Largest of the Bellworts. Thrives in damp rich shady situation. Flowers light yellow in early summer. Strong plants	.21	.19	.17	.15
UVULARIA perfoliata. Wood Merrybells. 9-18 ins. Slender stems. Leaves oblong. Flowers drooping bright yellow. May and June. Shady locations. Strong plants	.23	.20	.17	.15
UVULARIA sessilifolia. Little Merrybells. 10-20 ins,	.20	,=0	.1.	•10
Flowers yellow, May and June, Shade, Strong	.24	.21	.19	.18
VIOLA canadensis. Canada Violet. 9-18 ins. Leaves heart-shaped, pointed toothed. Flowers white veined with purple. May to July. Semi-shade. X strong	.25	.21	.18	.17
VIOLA pedata. Birdsfoot violet. 4-8 ins. Leaves divided. Flowers numerous and large, lilac-				
purple, April to June. Sun or Semi-shade. Strong first size	.23	.20	.17	.15
VIOLA pedata bicolor. Two color Birdfoot Violet.	.16	.12	.11	.09
4-8 ins. Flowers velvety light blue and purple pansy-like in May. Shade or open lo-	45	44	0.0	0.
cation. First size Second flowering size	.15 .15	.11	.08	.07 .07
YUCCA flamentosa, Common Yucca, Evergreen, 3-6 ft. Lare perennial, Flowers showny white, early summer. Strong plants	.65	.55	.50	.46
YUCCA flaccida. Weakleaf Yucca. Stiff narrow leaves Flowers white in June, X strong	.65	.50	.47	
XEROPHYLLUM asphodeloides, Turkey's Beard, 3-5 ft. Long grass-like leaves, Flowers attractive white, long spikes. Sun or semi-shade.				
X strong  100 ROCK GARDEN PLANTS. Strong Assorted.	.40	.36	.32	
For shade or sunny location as desired. Our selection, please advise				\$13.75

#### Hardy Native Orchids

	1-9	Price 1 10-24	Each 25-250	Over 250
APLECTRUM hyemale, Puttyroot, (Adam-and-Eve). About a foot high, Flowers greenish brown, Rich loam, Shade or partial shade	\$ .25	\$ ,30	\$ .27	\$
CALOPOGON pulchellus, Glass-Pink Orchid, 12-18 ins. Glass-like foliage. Pink showy flowers early summer. Sun or semi-shade. Strong flowering size	.30	.27	.25	.24
CYPRIPEDIUM acaule, Pink Ladyslipper. 6-15 ins. Leaves in clusters, flat on ground. Flowers large bright, purple-pink. Shade loving. First size Flowering second size Strong seedling plants Heavy clumps, 4-8 crowns each	.55 .35 .22 1.35	.50 .30 .20 1.25	.45 .27 .17 1.15	.42 .25 .15
CYPRIPEDIUM pubescens, Common Yellow Lady- slipper. 12-20 ins. Flowers large, bright yellow in May and June. Rich soil. Flowering Shade or semi. First size Second size Heavy clumps, 4-8 crowns, each	.65 .40 1.50	.55 .36 1,40	.50 .32 1.35	.47 .30
ft. Stems downy. Leaves large oblong, pointed. Flowers white to rose colored. June and July. Shade or semi-shade. Heavy clumps, 4-8 crowns, each X first size, 1-3 flowering crowns, each Light one crown plants	1.40 .65 .40	1,35 .60 .36	1.30 .56 .34	.54 .32
HABENARIA ciliaris. Yellow Fringe Orchid. 1-2 ft. Flowers orange or yellow. July and August Semi-shade, sandy soil. Strong	.35	.32	.30	
HABENARIA psycodes, Small Purple-Orchid. 1 to 2 feet. Leaves oblong or lance-shaped. Flowers purple fragrant, Shade	,40	.36	.32	
ORCHIS spectabilis. Showy Orchid. 6 to 12 inches. Leaves at base of stem ovate dark glossy green. Flowers violet purple, mixed with lighter purple and white. May and June. Shade loving	.28	.24	.22	.20
100 NATIVE ORCHIDS. Assorted. Flowering plants. Shade or partial shade. Our selection	*******			322.85

#### Hardy Native Ferns

For shady locations, no class of plants can equal the ferns. They are easily grown in ordinary soils and will often thrive where it is impossible to make flowering plants succeed. We handle large quantities of Ferns annually and recommend the following:

#### HARDY NATIVE FERNS, continued

	1-9	Price I	Each 25-250	Over 250
ASPLENIUM platyneuron. Ebony Spleenwort. 6-8 ins. Leaves narrow. Semi-shade. Strong	\$ .32	\$ .30	\$ .28	\$ .26
ASPLENIUM trichomanes. Maidenhair Spleenwort. Naturally grows among rocks and cliffs, Semi- shade. Strong plants	.30	.26	.24	.22
ATHYRIUM filixfemina, Lady fern, 1-3 ft. Exceedingly showy and vigorous, Shady location, X heavy	.24	.20	.18	.16
BOTRYCHIUM virginianum. Rattlesnake Fern. 6-12 ins. Triangular fronds. Deeply cut. Strong	.24	.20	.18	.16
CAMPTOSORUS rhizophyllus. Walking Fern. 4-12 ins. long. Heart-shaped at base. Its manner of growth suggests steps. Prefers dry shaded rocks. Strong	.36	.34	.32	
CYSTOPTERIS bulbifera. Berry Bladderfern. 1-2 ft. Finely divided rather weak stems. Tiny bulblets along underside of fronds. Shade or semi. Strong	.26	.24	.22	
DICKSONIA punctilobula, Hayscented Fern. 1½-3 ft. Very handsome vigorous growing species. Recommended for shade or open locations. XX heavy clumps	.27	.22	.20	.18
DRYOPTERIS flix-mas. Male Fern 9-18 ins. Fine effects when massed, Shade, Strong	.35	.30	.27	
DRYOPTERIS goldiana. Goldie Fern. 2-3 ft. Easily cultivated. Shade or partial shade and rich soil. Strong plant	.30	.26	.24	.22
DRYOPTERIS hexagonoptera. Winged Woodfern. 12-18 ins. Triangular fronds. Sun or shade. Strong	.24	.20	.18	.16
DRYOPTERIS marginalis. Leather Woodfern. 1-2 ft. A very common fern in woodland and culti- vation. Shade or semi, X heavy	.25	.22	.18	.16
DRYOPTERIS spinulosa. Toothed Woodfern. 1-2 ft. Of easy culture in rich moist soil. Shade or semi. Strong	.24	.20	.18	.16
DRYOPTERIS thelypteris. Marsh Fern. 9-18 ins. Delicate fronds. Best suited to moist open or semi-shade. Strong	.23	.20	.17	.15
LYGODIUM palmatum. Climbing Fern. 2-4 ft. Leaf- lets heart-shaped. Shade or semi, Strong	.35	.32	.30	
ONOCLEA sensibilis. Sensitive Fern. 9-18 ins. Prefers moist location in shade or sun light. Strong	.22	.20	.17	.15
OSMUNDA cinnamomea. Cinnamon Fern. 2-4 ft. X strong vigorous growing, suited to varied location. Shade or semi. (See picture on front page). X strong	.30	.26	.22	.20
OSMUNDA claytoniana. Interrupted Fern. 1½-3 ft. Very bold, attractive species. Shade or semi.				
X strong	.30	.26	.24	.22

#### HARDY NATIVE FERNS, continued

HARDY NATIVE FERNS, continued			
1-9	Price 1 10-24	Each 25-250	Over 250
OSMUNDA regalis. Royal Fern. 2-4 ft. Naturally grows in swamps, shade and sunny locations. Very attractive foliage. X strong \$ .32	\$ .28	\$ .25	\$ .23
PELLAEA atropurpurea. Cliff Brake. 6-18 ins. Fronds clustered, leathery in texture. Grayish or blue-green. Sun or semi. Strong	.27	.24	.22
POLYPODIUM vulgare. Common Polypody. 6-18 ins. Often covering ledges and boulders. Excellent for rockery. Semi-shade. Strong	.25	.21	.18
POLYSTICHUM acrostichoides, Christmas Fern, 9-18 ins. Evergreen, and extremely ornamental for massing in shade, or partial shade, X strong PTERETIS nodulosa. Ostrich Fern, 2-5 ft, Bold growing, Very ornamental in moist shady	.21	.17	.14
	.27	.23	.20
PTERIDIUM aquilinum. Bracken. 2-3 ft. Spreading compound fronds, Shade or sun. Strong	.17	.14	.12
WOODWARDIA virginica. Virginia Chain Fern. 2-3 ft. Strong vigorous growing. Suited to moist shady location. Strong	.22	.20	.17
100 NATIVE FERNS, Strong assorted, Shade or partial shade. Our selection		\$	312.87

## Hardy Aquatic and Bog Plants

	1-9		Each 25-250	Over <b>250</b>
ALETRIS farinosa. Stargrass. 12-18 in. Flowers white small growing in raceme. Very striking interesting plant. Strong	\$ .30	\$ .25	\$ .20	\$
ASTER novae-angliae. New England Aster. 3-4 feet. Flowers violet-purple, very large and showy. Strong	.35	.26	.23	
ASTER puniceus. Swamp Aster. 3-5 ft. Leaves nar- row, lanceolate. Flowers light violet, August and Sept. Moist sunny location or semi.				
X strong	.30	.25	.22	.20
CALTHA palustris. Marsh Marigold. 6-15 ins. Leaves bright green, broadly heart-shaped. Flowers bright yellow in early spring. Moist location, semi-shade. Strong	.35	.30	.26	.24
CHELONE glabra. White Turtlehead. 1½-3 ft. Stem smooth upright branching. Leaves opposite, lance shaped, toothed. Flowers white or pinkish, July or Sept. Moist location. Shade or semi. Strong	95	9.4	40	40
	.40	.21	.18	.16
CHELONE lyoni. Pink Turtlehead. 1-3 ft. Stems slender erect. Flowers red or rose. July to Sept. Moist location, shade or sun. Strong	.25	.24	.22	.20
CICUTA maculata. Spotted Waterhemlock. 3-5 ft. Finely cut leaves. Flowers white in mid-summer. Moist location. Sun or shade. Strong	.22	.20	.17	.15

## HARDY AQUATIC AND BOG PLANTS, continued

THE THE POUR TENTES,	The state of the s				
	1-9	Price 1 10-24	Each <b>25-250</b>	Over <b>250</b>	
CORNUS canadensis, Bunchberry, 5-8 ins. Flowers white or yellowish, Bright red berries, in clusters, moist open location. Sun or shade. Strong	.60	.50	.46		
DIONAEA muscipula. Venus Flytrap. 4-8 ins. Leaves thick dark green, trap-like, catching insects. Flowers white terminal clusters, May and June. Peat bogs, moist location. Semi-shade Strong	.65	.55	.50	.45	
	.00	.00	.00	.40	
DIPHYLLEIA cymosa. Umberallaleaf. 1-2 ft. Leaves large lobed. Flowers white terminal, May. Prefers damp location, shade or semi. Strong	.28	.24	.22	.20	
EUPATORIUM purpureum. Joe-Pye-Weed. Trumpet Weed. 4-10 ft. Smooth purple stalks, Leaves in whorls. Flowers large purple heads borne on top. Found in moist meadows and along streams, Sunny location or semi, Strong	.28	.24	.20	.18	
_	.40	.44	.20	,18	
HELENIUM autumnale. Sneezeweed. 3-5 ft. Leaves lanceolate or oblong. Flowers a blaze of gold, August and Sept. X strong	.26	.22	.18	.16	
HEMEROCALLIS fulva. Tawny Daylily. 2-4 ft. Foliage grass-like. Flowers tawny orange, late summer. Sun and semi-shade. Strong clumps	.25	.22	.18	.16	
IRIS pseudacorus. Yellowflag. 2-4 ft. Leaves large sword-shaped. Flowers bright yellow May and June. A water loving plant as well as succeeding in dry upland. Sun or semi-shade, Strong	.25	.22	.20	.18	
IRIS versicolor. Blueflag. 1-2 ft. Leaves flat sword- shaped. Flowers large and showy, violet-blue, varigated with green, yellow or white, late spring and eary summer. Marshes, and moist locations. Sun or semi-shade. Strong	.27	.24	.21	.20	
LOBELIA cardinalis. Cardinal Flower. 3-5 ft. Leaves		· // I	. A I	.20	
alternate, narrow oblong. Flowers bright red July to September. Sun or shade. X strong	.28	.25	.22	.20	
LOBELIA syphilitica. Large Blue Lobelia. 1-3 ft. Flowers lare blue tube shaped. Thrives best in moist location. Shade or sun. Strong	.24	.22	.20	.18	
MERTENSIA virginica. Virginia Bluebells. 1-2 ft. Leaves oblong, veiny. Flowers blue, pinkish in clusters, early spring. Sun or shade. XX					
largest Strong first size	.35	.30	.28	.26	
Second size	$\begin{array}{c} .26 \\ .14 \end{array}$	.23 .12	.21 .10	.18 .09	
MONARDA didyma. Oswego Beebalm. 2-4 ft. Leaves opposite. oval pointed, aromatic. Flowers bright red, clustered in close round head. July				,00	
and August. Moist shady places. Strong	.25	.22	.20	.18	

FALL PLANTING TIME IS CALLING TO YOU ORDER NOW BEFORE PRICES ADVANCE

	TIADDY ACTIANTS AND DOC DIANTS	conti	nned		
	HARDY AQUATIC AND BOG PLANTS, continued  Price Each Over				
		1-9		25-250	Over 250
	SYMPLOCARPUS foetidus. Skunkcabbage. 1-2 ft. Leaves large heart-shaped. Flowers small mottled, purplish brown and greenish yellow. Early spring. Low wet woods, meadows and swamps. Shade or sun. X heavy	\$ .35	\$ .30	\$ .27	<b>\$</b> .25
	PHYLLOSTACHYS aurea. Golden Japanese Bamboo.  10-20 ft. Excellent for low moist location.  Tropical effect. Strong clumpy plants	1.35	1.20	1.00	.90
6	SARRACENIA flava. Trumpet Pitcherplant. 1-2 ft. Interesting bog plant, with trumpet-like leaves, yellowish green. Flowers large yellow. Peat bogs. Semi-shade. Strong	.45	.40	.36	.34
	SARRACENIA purpurea. Common Pitcherplant. 6-15 ins. Leaves pitcher-shaped, broadly hooded. Flowers red, pink, or greenish, large nodding. Upland bogs and wet mossy places. Shade or semi. Strong	.40	.36	,34	.32
	SARRACENIA rubra. Sweet Pitcherplant. 10-15 ins. Leaves slender trumpet-shaped, Flowers crimson with scent of sweet violet. Bogs and moist location, Semi-shade. Strong	.45	.40	.36	
	SAXIFRAGA virginiensis. Virginia Saxifrage. 4-12 ins. Leaves clustered, lettuce-like. Flowers white small clustered, April. Wet or moist locations. Shade or semi. Strong	.25	,22	.20	.18
	TYPHHA latifolia. Common Cattail. 4-6 ft. Leaves long narrow, bright green sword-like. Flowers large brown spikes. Sun or semi. X strong	.35	.28	,25	.22
	VERATRUM viride, American Falsehellebore, 2-3 ft. Leaves broadly oval, pointed clasping. Flowers dull green clustereed, June. Swamps and wet woods. Shade or semi. X heavy.	.35	.30	.28	
	VERNONIA noveboracensis. Common Ironweed. 3-5 ft. Leaves alternate. Flowers intense red-purple, loosely clustered, July and August. Low moist location, sun or shade. X strong	.25	.22	.18	.16
	50 AQUATIC AND BOG PLANTS. Shade or sunny location. Strong plant. Our selection				\$10.25

MAXIMUM HEIGHTS GIVEN ALL THROUGH CATALOG INDICATES APPROXIMATE SIZE OF EACH AS FOUND IN WILD STATE

# Plan in Mid-Summer for Autumn Planting

ORDER NOW BEFORE PRICES ADVANCE

## Native Lilies for Naturalizing or Specimens

	1-9	Price 1 10-24	Each 25-250	Over <b>250</b>
LILIUM canadense. Canada Lily. 2-5 ft. Leaves whorled, lance-shaped. Flowers in various shades of orange, yellow and red, July and August. Sun or semi. Flowering size Strong first size		• \$ .15 .25	\$ .14 .22	\$ .13 .20
LILIUM carolinianum. Carolina Lily. A showy Lily some what dwarfer than L. Superbum, with flowers a little lighter in color, but enriched with a delicate and pervasive fragrance. XX largest  First size  Second size	.65 .40 .20	.55 .35 .18	.32 .16	
LILIUM grayi. Grays Lily. 2 to 5 feet. Flowers 1 to 6 deep reddish bell-shaped, orange spotted within, June and July. Damp moist locations. Sun or semi shade. XX largest First size Second size	.65 .35	.60 .32	.27	.24 .14
LILIUM philadelphicum. Orangecup Lily. 1-3 ft. Leaves whorled or scattered. Flowers. orange red with purple spots. July and August. Shade or open locations. First size Second Size	.27 .18	,25 ,14	.23	.21
LILIUM regale, Royal Lily, 2-3 ft. One of the most beautiful of all known lilies, Flowers deli- ciously fragrant, pure white, with bright canary markings inside. Second size First size	.30 .55	.25 .45	.32	
LILIUM superbum. American Turkscap Lily. 4-8 ft. Leaves lance-shaped, the lower whorled. Flowers orange or scarlet with purple spots within July. Recommended for varied locations. Sun or shade. First size	.28	.25	.23	.22
Flowering Second size Third size for growing on XX largest bulbs	.18 .10 .55		. 13 .07 .46	.11 .06 .43
50 NATIVE LILIES, Assorted first size or semi shade.				\$13.85

We know how to pack to insure delivery in good condition, even to foreign countries. Let us handle your orders for high-class native plant materials.

Prepaid to destination, on cash orders placed before this offer expires September 1, 1948. Without discount. Satisfaction guaranteed.

## Hardy Vines, Climbers and Creepers

		Price I	Each	Over
	1-9	10-24	25-250	250
AMPELOPSIS quinquefolia. Virginia Creeper. Deciduous. 25-75 ft. Clinging to walls and trees. Leaves usually divided into five leaflets, brilliantly colored in autumn. Flowers greenish, small clustered, July. San or shade. Strong	\$ .40	\$ .36	\$ .32	\$ .30
BIGNONIA radicans, Trumpet Creeper, Deciduous. 10-30 ft. Bold growing, with interesting foliage and partially climbing habit. Flowers huge trumpet-shaped, varying from bright brownish orange to vivid scarlet. Varied conditions, X strong 2-4 ft.	.45	.40	,36	
CELASTRUS scandens. American Bittersweet. Deciduous. 10-25 ft. Woody, twining, Leaves alternate, oblong, finely toothed, pointed. Flowers small, greenish or cream colored in clusters in June. Pods orange-colored berries. Varied conditions. Sun or shade. Strong				
plants, 1-2 ft.  X heavy plants, 2-4 ft.  XX heavy clumpy plants, 4-6 ft.  6-12 in Seedlings	.25 .40 .55 .16	.22 .37 .50 .10	.20 .34 .45 .09	.18 .32 .42 .08
CLEMATIS crispa. Curly Clematis. Deciduous. 3-6 ft. Graceful slender vine. Leaves compound, lobed or divided. Flowers purple nodding. Sun or shade. Strong	.36	.32	.30	
CLEMATIS virginiana. Virgins Bower. Dediduous. 10-30 ft. Graceful climber. Leaves opposite, three divided. Flowers whitish in clusters, July and August A good vine of easy culture. Shade or sun, Strong	.32	.27	.23	.20
1540SCOREA villosa. Yam. Deciduous. 4-8 ft. Climbing. Leaves large, turning to yellow in autumn. Flowers pale greenish yellow late summer. Shade or semi. Strong	.26	.22	.20	.18
EPIGAEA REPENS Trailing arbutus, Evergreen. Ground cover. 4-12 ins. Leaves rounded, heart- shaped at base. Flowers white or pink, clustered, fragrant, early spring. Plant in bumus soil, well drained shady location. X strong clumpy plants	.65	.55	.50	.45
GALAX aphylla. Evergreen ground cover. 4-12 ins. Leaves broadly heart-shaped, shallow toothed, green or bronze, according to location sun or shade. Shade or partial shade, Flowers creamy white spike, early summer. X strong clumps	.27	.24	.22	.20
GAULTHERIA procumbens. Wintergreen. Ground cover. 3-6 ins. Leaves oval shining. Flowers white or pinkish, July. Fruit bright red berry. Shade or semi. Strong clumps	.26	.23		.18
HOUSTONIA serpyllifolia. Creeping Bluets, 4-6 ins. Leaves ovate or roundish. Flowers blue or white, spring and early summer. Sun or semi. Strong	.28	.24	.22	.20

## HARDY VINES, CLIMBERS AND CREEPERS, continued

	1-9	Price I	Each 25-250	Over
IRIS cristata. Crested Iris. Deciduous. Ground cover.	1-0	10-24	20-200	250
4-6 ins. Leaves bright green, lanceolate.				
Flowers blue, with orange. Early spring. Shade or semi. X strong	\$ .26	\$ .23	\$ .21	\$ .20
Light plants	.13	.10	.07	.06
IRIS siberica. Siberian Iris. 1-2 ft. Leaves slender green. Flowers lilac-blue. Strong plant	.40	.36	.33	
IRIS verna. Vernal Iris. Evergreen. 4-8 ins. Leaves narrow, sea-green. Flowers violet-blue, with yellow center. Early spring. Shade or semi. Strong	9.0	99	20	4.0
	.26	.23	.20	.18
LONICERA JAPONICA HALLIANA. Hall's Honey- suckle 10-15 ft. Very strong growing. Leaves ovate, dark green. Flowers white, changing to yellow, very fragrant, early summer. Splendid climber and ground cover. Shade or sunny lo- cation, Heavy plants	40	0.0		
Strong second size	.40	.36 .17	.32 .14	.30 .13
MITCHELLA repens. Patridge Berry. Evergreen. Ground cover. 3-6 ins. Leaves rounded, veined with white. Flowers white or pinkish. Fruit				120
bright red berries. Shade or semi. X heavy	.30	.26	.24	.22
PACHYSANDRA terminalis. Japanese Pachysandra. Evergreen. Ground cover. 6-9 ins. Flowers white terminal, spring. Useful for bordering				
walks and drives. Shady location. X strong	.28	.24	.22	. 20
PASSIFLORA incarnata. Maypop. Deciduous. 10-15 ft. Leaves three lobed. Flowers large purple, spring and summer. Sun or shade. Dry location. X strong	9.0	9.0	O.W.	-
	.36	.30	.27	.25
RANUNCULUS repens. Creeping Buttercup. 4-8 ins. Leaves frequently white, varigated or spotted. Flowers deep yellow, early spring. Low wet	0.4	94	4.0	
or moist ground. Semi-shade. Strong	.24	.21	.18	
PHLOX stolonifera. Creeping Phlox. Nearly evergreen. 4-12 ins. Creeping. Flowers reddish-purple early spring. Semi-shade, Strong	96	0.4	99	90
	.28	.24	.22	.20
PHLOX subulata. Moss Pink. Evergreen ground cover. 4 to 8 inches. Leaves narrow. Flowers crimson, pink or nearly white. April to June	40	0.19	22	
Sun or semi. Strong	.40	.35	.32	.30
POTENTILLA TRIDENTATA. Wineleaf Cinquefoil Evergreen. 4 to 8 in. Splendid creeper. Leaves glistening, taking on brilliant bronze Autumn coloring. Flowers Strawberry-like in Summer.				
Strong	.40	.35	.32	
100 EVERGREEN GROUND COVERS. Strong assorted for shady location. Our selection	*****		\$	14.62
SEDUM telephoides. Wild Liveforever, Evergreen. 6-12 ins. Leaves fleshy, Flowers numerous, flesh colored, August. Natural rock garden				
plant and other. Dry sunny locations. Strong	.28	.24	.22	.20
SEDUM ternatum. Mountain Stonecrop, 2-4 ins. Handsome creeping ground cover. White				
flowers in early spring. Shade or semi. Strong	.25	.22	.20	.18

#### HARDY VINES, CLIMBERS AND CREEPERS, continued

HARDY VINES, CLIMBERS AND CITET	ELLUS,	Continue		
	1-9	Price I 10-24	Each 25-250	Over 250
Medium size plants	.55	.50	.45	.40 .20
VINCA minor, Common Periwinkle, Evergreen ground cover, and rockery. Sun or shady location. Strong first size plants Light plants for growing on	.10		.06	.10 .05

#### NATIVE MOUNTAIN WILDINGS FOR AUTUMN PLANTING

## SPECIAL PRICES WILL BE ALLOWED ON LARGE PLANTING LISTS. SEND WANT LIST FOR QUOTATION.

Autumn is the logical time to move many of the native plants. In fact, all the natives in this list can be moved with entire safety in autumn, and when spring days come they will be ready to start off quickly.

#### ORDER NOW FOR FALL PLANTING BEFORE PRICES ADVANCE

100	Choice Wild sorted. Our	Garden Plants, strong as- selection	\$12.90
100	Select Early sorted. Our	Spring Flowering Plants as- selestion	\$12.70

# Money Saving Collections

For Early Reservation Orders Fall or Spring Delivery — 1948-1949

	100	1000
TRILLIUM CERNUUM (Nedding Trillium) Flowering size	\$ 9.00	\$ 85.00
Strong Hrst	14 00	135.00
XX largest size	23.00	222.00
TRILLIUM ERECTUM (Purple Trillium) Flowering size	4.50	42.50
X strong first	11.00	105.00
XX largest	16.50	165.75
TRILLIUM LUTEUM (Yellow Trillium) Flowering size	7.00	66.50
A strong first	13.50	128.25
XX largest first	22.00	209.00
TRILLIUM STYLOSUM (Rose Trillium) Flowering size	4.75	45.00
A strong first	9.90	94.00
XX largest	16.50	156.75
TRILLIUM UNDULATUM (Painted Trillium) Flowering size	5.75	54,60
X strong first	12.50	118.75
XX largest	17.50	161.50
CIMICIFUGA RACEMOSA (Cohosh Bugbane) X strong		
	12.50	118.75
ARISAEMA TRIPHYLLUM (Jack-in-the-Pulpit) First size	14.00	132.50
ASCLEPIAS TUBEROSA (Butterfly Weed) Flowering size	14.50	135.00
CONVALLARIA MAJALIS (Lily-of-the-Valley) Flowering size	12.00	110.00
POLYGONATUM COMMUTATUM (Great Solomon Seal) First size	18.00	170.00
CYPRIPEDIUM ACAULE (Pink Ladyslipper) Flowering size	23.50	223.25
ORCHIS SPECTABILIS (Showy Orchid) Flowering size	18.50	175.00
ADIANTUM PEDATUM (Midenhair Fern) X strong	14.00	132.50
POLYSTICHUM ACROSTICHOIDES (Christmas Fern) X strong	12.50	118.75
IRIS CRISTATA (Crested Iris) Strong Clumps	18.50	172.00
IRIS VERNA (Vernal Iris) Strong Clumps	17.50	166.75
LILIUM SUPERBUM (Amrican Turkscap Lily) Flowering	10.50	97.50
X first size	18.50	172.50
XX largest Jumbo size	42.50	4 03.75
VINCA MINOR (Periwinkle) Light plants for growing on	4.50	42.75
Strong first size	9.50	90.00
X heavy clumps	16.50	156.75
GALAX APHYLLA (Galax) X heavy clumps	18.50	176.50

PACKING WILL BE CHARGED AT COST ON CHARGE ORDERS OUR STOCK IS GROWN HARDY IN THE CAROLINA HIGHLANDS

"NONE BETTER BY TEST"

JULY AND AUGUST ACCEPTANCE ORDERS PREPAID TO DESTINATION

TIME LIMIT SEPTEMBER 1, 1948

# Money Saving Collections, continued

	100	1000
RHODODENDRON CATAWBIENSE (Catawba Rhododendron)	01075	\$178.00
SCULLILLED. T. 14 111	\$18.75 13.75	130.00
Stocky seedlings, 4-12 in.	32.50	300.00
12-18 in. X heavy seedlings	02.00	000.00
RHODODENDRON MAXIMUM (Rosebay Rhododendron)	44 50	400.00
4-12 in. stocky seedlings	11.50	109.00 $235.00$
12-18 in. X heavy seedlings	24.75	235.00
KALMIA LATIFOLIA (Mountain Laurel)		
4-12 in, X strong seedlings	10.50	98.70
12-18 in, XX heavy seedlings	25.00	245.00
AZALEA CALENDULACEA (Flame A.) 1-2 ft. strong seedlings	19.90	189.00
AZALEA VASEYI (Pink Shell A.) 12-18 in. strong transplants	32.50	308.40
CORNUS FLORIDA (White flowering dogwood) 9-18 in. seedlings	12.50	118.75
CYDONIA JAPONICA (Flowering Quince) 9-18 in, seedlings	14.00	133.00
HYPERICUM DENSIFLORUM, 1-2 ft. strong seedlings	22.50	185.00
HYPERICUM PROLIFICUM, 1-2 ft. strong seedlings	23.50	211.50
OXYDENDRUM ARBOREUM (Sourwood strong seedlings, 9-18 in.	11.00	100.00
ZANTHORHIZA APIFOLIA (Yellowroot) 9-18 in. strong plants	12.00	110.00
ABIES FRASERI (Fraser Fir) Strong seedling plants, 6-12 in	13.00	120.00
HEX OPACA (American Holly) Strong seedling plants, 6-12 in.	19.75	185.00
LEUCOTHOE CATESBAEI (Drooping Leucothoe		
strong transplants, 6-12 in.	18.50	175.00
PICEA MARIANA (Black Spruce) strong seedling plants, 6-12 in.	10.50	95.00
PINUS STROBUS (White Pine) strong seedlings, 6-12 in	17.50	160.00
TSUGA CANADENSIS (Canada Hemlock)		00.00
6-12 in. strong seedlings	10.00	90.00
TSUGA CAROLINIANA (Carolina Hemlock)	10.45	154 50
6-12 in., strong seedlings	16.45 8.20	154.50 75.00
4-6 in., strong seedlings	0.20	10.00

ALL OUR STOCK IS GROWN HARDY OUTDOORS HIGH UP IN THE BLUE RIDGE MOUNTAINS, WHERE MERCURY OFTEN GOES 10-20 BELOW ZERO





TRILLIUM GRANDIFLORUM. Snow Trillium. Deciduous. Finest and largest species. Flowers 2 to 3 inches across, white turning to rose color early Spring. One of our best Spring bloomers, for woodland border and rock garden. Shade or semi- shade.

All Blooming Size Plants	100 5.25	1000 \$ 45.00	5000 185.00
Extra Strong First Size	10.50 15.50	97.50 147.25	
VV Largest Bulbs	10.00		

WESTERN UNION TELEGRAPH AND LONG DISTANCE CONNECTION. WIRE ORDERS WHEN IN A HURRY TO AVOID DELAY— PACKING WILL BE CHARGED AT COST ON CHARGE ORDERS — ALL OUR NURSERY STOCK IS GUARANTEED TO BE AS REPRESENTED. GOOD QUALITY AND TRUE TO NAME.

Gardens of Ridge

E. C. ROBBINS, Nurseryman

ASHFORD, McDOWELL COUNTY, NORTH CAROLINA